

Safety Data Sheet

Section 1: Identification of the Substance/Mixture and of the Company/Undertaking

1.1 Product identifier

Product Name • **Lap Sealant HS**

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified use(s) • Construction

1.3 Details of the supplier of the safety data sheet

Manufacturer • Firestone Building Products Company

250 West 96th Street
Indianapolis, IN 46260
United States

firestonemsds@bfdp.com

Telephone (General) • 800-428-4442

1.4 Emergency telephone number

Manufacturer • (800) 424-9300 - CHEMTREC

Manufacturer • (703) 527-3887 - CHEMTREC - International

Section 2: Hazards Identification

EU/EEC

According to EU Directive 1272/2008 (CLP)/REACH 1907/2006 [amended by 453/2010]

According to EU Directive 67/548/EEC (DSD) or 1999/45/EC (DPD)

2.1 Classification of the substance or mixture

CLP

- Flammable Liquids 2 - H225
- Skin Irritation 2 - H315
- Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects - H336
- Hazardous to the aquatic environment Chronic 2 - H411

DSD/DPD

- Flammable
- Irritant (Xi)
- Harmful (Xn)
- Dangerous to the Environment (N)
- R11, R38, R67, R51/53

2.2 Label Elements

CLP

DANGER



Hazard statements • H225 - Highly flammable liquid and vapour

H315 - Causes skin irritation
 H336 - May cause drowsiness or dizziness
 H411 - Toxic to aquatic life with long lasting effects

Precautionary statements

- Prevention**
- P210 - Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking.
 - P233 - Keep container tightly closed.
 - P240 - Ground and/or bond container and receiving equipment.
 - P241 - Use explosion-proof electrical/ventilating/lighting/equipment.
 - P242 - Use only non-sparking tools.
 - P243 - Take precautionary measures against static discharge.
 - P261 - Avoid breathing dust, fume, gas, mist, vapours and/or spray.
 - P264 - Wash thoroughly after handling.
 - P271 - Use only outdoors or in a well-ventilated area.
 - P273 - Avoid release to the environment.
 - P280 - Wear protective gloves/protective clothing/eye protection/face protection.
- Response**
- P370+P378 - In case of fire: Use appropriate media for extinction.
 - P304+P340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 - P312 - Call a POISON CENTER or doctor/physician if you feel unwell.
 - P303 - IF ON SKIN (or hair):
 - P353 - Rinse skin with water/shower.
 - P332+P313 - If skin irritation occurs: Get medical advice/attention.
 - P321 - Specific treatment, see supplemental first aid information.
 - P362 - Take off contaminated clothing and wash before reuse.
 - P391 - Collect spillage.
- Storage/Disposal**
- P235 - Keep cool.
 - P403+P233 - Store in a well-ventilated place. Keep container tightly closed.
 - P501 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

DSD/DPD



- Risk phrases**
- R11 - Highly flammable.
 - R38 - Irritating to skin.
 - R67 - Vapours may cause drowsiness and dizziness.
 - R51/53 - Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
- Safety phrases**
- S9 - Keep container in a well ventilated place
 - S16 - Keep away from sources of ignition - No Smoking.
 - S57 - Use appropriate containment to avoid environmental contamination.

2.3 Other Hazards

- CLP**
- According to Regulation (EC) No. 1272/2008 (CLP) this material is considered hazardous.
- DSD/DPD**
- According to European Directive 1999/45/EC this preparation is considered dangerous.
 This product is considered dangerous according to the European Directive 67/548/EEC.

United States (US)

According to OSHA 29 CFR 1910.1200 HCS

2.1 Classification of the substance or mixture

- OSHA HCS 2012**
- Flammable Liquids 2 - H225
 - Skin Irritation 2 - H315
 - Eye Irritation 2 - H319
 - Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation - H335
 - Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects - H336

2.2 Label elements

OSHA HCS 2012

DANGER



- Hazard statements**
- Highly flammable liquid and vapour - H225
 - Causes skin irritation - H315
 - Causes serious eye irritation - H319
 - May cause respiratory irritation - H335
 - May cause drowsiness or dizziness - H336

Precautionary statements

- Prevention**
- Keep away from heat, sparks, open flames and/or hot surfaces. - No smoking. - P210
 - Keep container tightly closed. - P233
 - Ground and/or bond container and receiving equipment. - P240
 - Use explosion-proof electrical/ventilating/lighting/equipment. - P241
 - Use only non-sparking tools. - P242
 - Take precautionary measures against static discharge. - P243
 - Avoid breathing mist/vapours/spray. - P261
 - Wash thoroughly after handling. - P264
 - Use only outdoors or in a well-ventilated area. - P271
 - Wear protective gloves/protective clothing/eye protection/face protection. - P280
- Response**
- In case of fire: Use appropriate media for extinction. - P370+P378
 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. - P304+P340
 - Call a POISON CENTER or doctor/physician if you feel unwell. - P312
 - IF ON SKIN (or hair): - P303
 - Rinse skin with water/shower. - P353
 - If skin irritation occurs: Get medical advice/attention. - P332+P313
 - Specific treatment, see supplemental first aid information. - P321
 - Take off contaminated clothing and wash before reuse. - P362
 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. - P305+P351+P338
 - If eye irritation persists: Get medical advice/attention. - P337+P313
- Storage/Disposal**
- Keep cool. - P235
 - Store in a well-ventilated place. Keep container tightly closed. - P403+P233
 - Dispose of content and/or container in accordance with local, regional, national, and/or international regulations. - P501

2.3 Other hazards

OSHA HCS 2012

- Under United States Regulations (29 CFR 1910.1200 - Hazard Communication Standard), this product is considered hazardous.

Canada

According to WHMIS

2.1 Classification of the substance or mixture

WHMIS

- Flammable Liquids - B2
- Other Toxic Effects - D2B

2.2 Label elements

WHMIS



- Flammable Liquids - B2
- Other Toxic Effects - D2B

2.3 Other hazards

WHMIS

- In Canada, the product mentioned above is considered hazardous under the Workplace Hazardous Materials Information System (WHMIS).

See Section 12 for Ecological Information.

Section 3 - Composition/Information on Ingredients

3.1 Substances

- Material does not meet the criteria of a substance in accordance with Regulation (EC) No 1272/2008.

3.2 Mixtures

Hazardous Components					
Chemical Name	Identifiers	%(weight)	LD50/LC50	Classifications According to Regulation/Directive	Comments
Limestone	CAS: 1317-65-3 EC Number: 215-279-6	30% TO 60%	NDA	EU DSD/DPD: Self Classified - Xn, R48/20 EU CLP: Self Classified - STOT RE 2 (Lung, inhalation) OSHA HCS 2012: STOT RE 2 (Lung, inhalation)	NDA
Light aliphatic solvent naphtha	CAS: 64742-89-8 EC Number: 265-192-2 EINECS: 265-192-2	10% TO 30%	NDA	EU DSD/DPD: Self Classified - Xi R38, Xn R67, R65, N; R51/53, F R11 EU CLP: Self Classified - Skin Irrit 2, Asp Tox. 1, STOT SE 3: Narc, Aquatic Chronic 2, Flam Liq. 3 OSHA HCS 2012: Eye Irrit 2; Flam Liq. 2; Skin Irrit. 2; Asp. Tox. 1; STOT Single Exp. 3 narc & resp irritant	NDA
Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	CAS: 64742-52-5 EC Number: 265-155-0	< 5%	NDA	EU DSD/DPD: Annex I - Carc.Cat.2; R45 EU CLP: Annex VI - Carc. 1B; H350 OSHA HCS 2012: Skin Irrit. 2	NDA
Bentonite	CAS: 1302-78-9 EC Number: 215-108-5	< 1.5%	NDA	EU DSD/DPD: Self Classified - Xn, R48/20 EU CLP: Self Classified - STOT RE 2 (lungs, inhalation) OSHA HCS 2012: STOT RE 2 (lungs, inhalation)	NDA
Carbon Black	CAS: 1333-86-4 EC Number: 215-609-9	< 1.5%	Ingestion/Oral-Rat LD50 • >15400 mg/kg Skin-Rabbit LD50 • >3 g/kg	EU DSD/DPD: Self Classified - Xi R37/R38 Carc. 3 EU CLP: Self Classified - STOT SE 3, Skin Irrit 2, Carc Cat 2 OSHA HCS 2012: STOT SE 3, Skin Irrit 2, Carc Cat 2	NDA

Calcium oxide	CAS:1305-78-8 EC Number:215-138-9 UN:UN1910	< 1%	NDA	EU DSD/DPD: Self Classified - Xi R36/37/38 EU CLP: Self Classified - Skin Irrit 2, H315; Eye Irrit 2, H319; STOT SE 3 H335 OSHA HCS 2012: Skin Irrit 2, Eye Irrit 2, STOT SE 3 (resp)	NDA
---------------	--	------	-----	--	-----

- Limestone, Bentonite and carbon black are not expected to be released from this bonded matrix.

See Section 11 for Toxicological Information.

Section 4 - First Aid Measures

4.1 Description of first aid measures

Inhalation

- Do not use mouth-to-mouth method if victim inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device. Move victim to fresh air. Administer oxygen if breathing is difficult. Give artificial respiration if victim is not breathing. Get medical attention if artificial oxygen is administered.

Skin

- Rinse skin with rubbing alcohol first, followed immediately by washing affected area with soap and water. Remove and isolate contaminated clothing and shoes. Call 911 or emergency medical service.

Eye

- In case of contact with substance, immediately flush eyes with running water for at least 20 minutes.

Ingestion

- Do NOT induce vomiting. Do not use mouth-to-mouth method if victim ingested the substance. Get medical attention immediately.

4.2 Most important symptoms and effects, both acute and delayed

- Refer to Section 11 - Toxicological Information.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to Physician

- If material is ingested and aspirated into the lungs it may cause chemical pneumonitis. Treat appropriately.

Section 5 - Firefighting Measures

5.1 Extinguishing media

Suitable Extinguishing Media

- LARGE FIRE: Water spray, fog or regular foam.
SMALL FIRES: Dry chemical, CO2, water spray or regular foam.

Unsuitable Extinguishing Media

- No data available.

5.2 Special hazards arising from the substance or mixture

Unusual Fire and Explosion Hazards

- Heat builds up pressure in closed containers. Cool with water stream. Toxic fumes and vapors may be produced.

Hazardous Combustion Products

- Carbon dioxide, carbon monoxide, acrid smoke, irritating fumes.

5.3 Advice for firefighters

- Structural firefighters' protective clothing provides limited protection in fire situations ONLY; it is not effective in spill situations where direct contact with the substance is possible.
Wear positive pressure self-contained breathing apparatus (SCBA).
Wear chemical protective clothing that is specifically recommended by the manufacturer. It may provide little or no thermal protection.
Runoff from fire control may cause pollution.

LARGE FIRES: Dike fire-control water for later disposal.

Section 6 - Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal Precautions

- Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ventilate enclosed areas.

Emergency Procedures

- As an immediate precautionary measure, isolate spill or leak area in all directions for at least 50 meters (150 feet) for liquids and at least 25 meters (75 feet) for solids. ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area) Stay upwind. Keep out of low areas. Keep unauthorized personnel away. Ventilate closed spaces before entering.

6.2 Environmental precautions

- Avoid run off to waterways and sewers.

6.3 Methods and material for containment and cleaning up

Containment/Clean-up Measures

- SMALL SPILLS: Take up with sand or other non-combustible absorbent material and place into containers for later disposal. Use clean non-sparking tools to collect absorbed material. All equipment used when handling the product must be grounded. LARGE SPILLS: Dike far ahead of spill for later disposal. A vapor suppressing foam may be used to reduce vapors.

6.4 Reference to other sections

- Refer to Section 8 - Exposure Controls/Personal Protection and Section 13 - Disposal Considerations.

Section 7 - Handling and Storage

7.1 Precautions for safe handling

Handling

- Keep away from heat, sparks, and flame – No Smoking. Keep containers closed. Vapors of this material are heavier than air and will collect in low or confined areas. Containers, even those that have been emptied, can contain explosive vapors. Do not cut, drill, grind, weld or perform similar operations near container. Static electricity may accumulate and create a fire hazard. Take precautionary measures against static charges. Bond and ground all transfer containers and equipment. Use only with adequate ventilation. Do not breathe (dust, vapor or spray mist) Ground fixed equipment.

7.2 Conditions for safe storage, including any incompatibilities

Storage

- Store in a cool/low-temperature, well-ventilated place away from heat and ignition sources. Store locked up. Keep container closed when not in use. Keep away from incompatible materials.

7.3 Specific end use(s)

- Refer to Section 1.2 - Relevant identified uses.

Section 8 - Exposure Controls/Personal Protection

8.1 Control parameters

Exposure Limits/Guidelines

- No exposure limits/guidelines available for the material or the components.

Exposure Limits/Guidelines						
	Result	ACGIH	Canada Ontario	Canada Quebec	China	NIOSH
Calcium oxide (1305-78-8)	STELs	Not established	Not established	Not established	5 mg/m3 STEL	Not established
	TWAs	2 mg/m3 TWA	2 mg/m3 TWA	2 mg/m3 TWAEV	2 mg/m3 TWA	2 mg/m3 TWA
Carbon Black (1333-86-4)	STELs	Not established	Not established	Not established	8 mg/m3 STEL (total dust)	Not established
	TWAs	3 mg/m3 TWA (inhalable fraction)	3.5 mg/m3 TWA	3.5 mg/m3 TWAEV	4 mg/m3 TWA (total dust)	3.5 mg/m3 TWA; 0.1 mg/m3 TWA (Carbon black in presence of Polycyclic aromatic hydrocarbons, as PAH)
Bentonite (1302-78-9)	STELs	Not established	Not established	Not established	12 mg/m3 STEL (total dust)	Not established
	TWAs	Not established	Not established	Not established	6 mg/m3 TWA (total dust)	Not established
Limestone (1317-65-3)	STELs	Not established	Not established	Not established	16 mg/m3 STEL (total dust); 8 mg/m3 STEL (respirable dust)	Not established
	TWAs	Not established	Not established	10 mg/m3 TWAEV (Limestone, containing no Asbestos and <1% Crystalline silica, total dust)	8 mg/m3 TWA (total dust); 4 mg/m3 TWA (respirable dust)	10 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable dust)
Exposure Limits/Guidelines (Con't.)						
	Result	OSHA				
Calcium oxide (1305-78-8)	TWAs	5 mg/m3 TWA				
Carbon Black (1333-86-4)	TWAs	3.5 mg/m3 TWA				
Limestone (1317-65-3)	TWAs	15 mg/m3 TWA (total dust); 5 mg/m3 TWA (respirable fraction)				

Exposure Control Notations

ACGIH

- Carbon Black (1333-86-4): **Carcinogens:** (A3 - Confirmed Animal Carcinogen with Unknown Relevance to Humans)

Exposure Limits Supplemental

ACGIH

- Calcium oxide (1305-78-8): **TLV Basis - Critical Effects:** (upper respiratory tract irritation)
- Carbon Black (1333-86-4): **TLV Basis - Critical Effects:** (bronchitis)

8.2 Exposure controls

Engineering Measures/Controls

- Adequate ventilation systems as needed to control concentrations of airborne contaminants below applicable threshold limit values.

Personal Protective Equipment

Pictograms



Respiratory

- In case of insufficient ventilation, wear suitable respiratory equipment. Follow the

OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or symptoms are experienced.

Eye/Face	• Safety glasses with side shields should be worn at a minimum.
Hands	• Wear appropriate gloves.
Skin/Body	• Wear nitrile or polyvinyl alcohol gloves for direct handling.
Environmental Exposure Controls	• Follow best practice for site management and disposal of waste. Avoid release to the environment.

Section 9 - Physical and Chemical Properties

9.1 Information on Physical and Chemical Properties

Material Description			
Physical Form	Liquid	Appearance/Description	Black paste with characteristic aliphatic solvent naphtha odor.
Color	Black	Odor	Characteristic aliphatic solvent naphtha odor.
Odor Threshold	Data lacking		
General Properties			
Boiling Point	115.6 C(240.08 F)	Melting Point	Data lacking
Decomposition Temperature	Data lacking	pH	Data lacking
Specific Gravity/Relative Density	1.35 Water=1	Water Solubility	Negligible < 0.1
Viscosity	Data lacking	Explosive Properties	Data lacking
Oxidizing Properties:	Data lacking		
Volatility			
Vapor Pressure	45 mmHg (torr) @ 20 C(68 F)	Vapor Density	3.8 Air=1
Evaporation Rate	9.2 n-Butyl Acetate = 1		
Flammability			
Flash Point	10 C(50 F) TCC (Tagliabue Closed Cup)	UEL	6.7 %
LEL	.9 %	Autoignition	Data lacking
Flammability (solid, gas)	Data lacking		
Environmental			
Octanol/Water Partition coefficient	Data lacking		

9.2 Other Information

- No additional physical and chemical parameters noted.

Section 10: Stability and Reactivity

10.1 Reactivity

- No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

- Stable under normal temperatures and pressures.

10.3 Possibility of hazardous reactions

- Hazardous polymerization will not occur.

10.4 Conditions to avoid

- Avoid flames, sparks, or other sources of ignition. Excess heat. Incompatible materials.

10.5 Incompatible materials

- Acids, alkalies, strong oxidizers.

10.6 Hazardous decomposition products

- Hazardous decomposition will not occur.

Section 11 - Toxicological Information

11.1 Information on toxicological effects

Component Name	CAS	Data
Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) (< 5%)	64742-52-5	Irritation: skn-rbt 500 mg SEV
Carbon Black (< 1.5%)	1333-86-4	Acute Toxicity: orl-rat LD50:>15400 mg/kg; skn-rbt LD50:>3 gm/kg; Tumorigen/Carcinogen: ihl-rat TCLo:11600 ug/m3/18H/2Y-I

GHS Properties	Classification
Acute toxicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Aspiration Hazard	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Carcinogenicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Germ Cell Mutagenicity	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Skin corrosion/Irritation	EU/CLP • Skin Irritation 2 OSHA HCS 2012 • Skin Irritation 2
Skin sensitization	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
STOT-RE	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
STOT-SE	EU/CLP • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects OSHA HCS 2012 • Specific Target Organ Toxicity Single Exposure 3: Narcotic Effects; Specific Target Organ Toxicity Single Exposure 3: Respiratory Tract Irritation
Toxicity for Reproduction	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Respiratory sensitization	EU/CLP • Classification criteria not met OSHA HCS 2012 • Classification criteria not met
Serious eye damage/Irritation	EU/CLP • Classification criteria not met OSHA HCS 2012 • Eye Irritation 2

Potential Health Effects

Inhalation

Acute (Immediate)

- May cause respiratory irritation. May affect the central nervous system. Symptoms may include dizziness, drowsiness, lethargy, coma and death.

Chronic (Delayed)

- No data available.

Skin**Acute (Immediate)**

- Causes skin irritation.

Chronic (Delayed)

- No data available.

Eye**Acute (Immediate)**

- Causes serious eye irritation.

Chronic (Delayed)

- No data available.

Ingestion**Acute (Immediate)**

- Ingestion of this product unlikely.

Chronic (Delayed)

- No data available.

Carcinogenic Effects

- This product contains carbon black (encapsulated)(1333-86-4). According to IARC "No significant exposure to carbon black is thought to occur during the use of products in which carbon black is bound to other materials, such as rubber, printing ink or paint."

Carcinogenic Effects		
	CAS	IARC
Carbon Black	1333-86-4	Group 2B-Possible Carcinogen

Section 12 - Ecological Information

12.1 Toxicity

- This material may be toxic to aquatic organisms and cause long-term adverse effects in the aquatic environment.

12.2 Persistence and degradability

- No data available

12.3 Bioaccumulative potential

- No data available.

12.4 Mobility in Soil

- No data available.

12.5 Results of PBT and vPvB assessment

- No PBT and vPvB assessment has been conducted by the manufacturer.

12.6 Other adverse effects

Potential Environmental Effects

- May cause long lasting harmful effects to aquatic life.

Section 13 - Disposal Considerations

13.1 Waste treatment methods

Product waste

- Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Packaging waste

- Containers, even those that have been emptied, can contain explosive vapors. Dispose of content and/or container in accordance with local, regional, national, and/or international regulations.

Section 14 - Transport Information

	14.1 UN number	14.2 UN proper shipping name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	UN1133	Adhesives	3	III	NDA
TDG	UN1133	ADHESIVES	3	II	NDA
IMO/IMDG	UN1133	ADHESIVES	3	II	NDA
ADN	UN1133	ADHESIVES containing flammable liquid (vapour pressure at 50 °C not more than 110 kPa)	3	II	NDA
ADR/RID	UN1133	Adhesives	3	II	NDA
IATA/ICAO	UN1133	Adhesives	3	II	NDA

14.6 Special precautions for user • None known.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code • Not relevant.

Section 15 - Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

SARA Hazard Classifications • Acute, Fire

State Right To Know				
Component	CAS	MA	NJ	PA
Limestone	1317-65-3	Yes	Yes	Yes
Light aliphatic solvent naphtha	64742-89-8	No	No	No
Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	No	No	No
Bentonite	1302-78-9	No	No	No
Carbon Black	1333-86-4	Yes	Yes	Yes
Calcium oxide	1305-78-8	Yes	Yes	Yes

Inventory						
Component	CAS	Canada DSL	Canada NDSL	China	EU EINECS	EU ELNICS
Limestone	1317-65-3	No	Yes	Yes	Yes	No
Light aliphatic solvent naphtha	64742-89-8	Yes	No	Yes	Yes	No
Hydrotreated heavy naphthenic						

distillates (petroleum) (Highly Refined)	64742-52-5	Yes	No	Yes	Yes	No
Bentonite	1302-78-9	Yes	No	Yes	Yes	No
Carbon Black	1333-86-4	Yes	No	Yes	Yes	Yes
Calcium oxide	1305-78-8	Yes	No	Yes	Yes	No
Inventory (Con't.)						
Component	CAS	Japan ENCS	Korea KECL	TSCA		
Limestone	1317-65-3	Yes	Yes	Yes		
Light aliphatic solvent naphtha	64742-89-8	No	Yes	Yes		
Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	Yes	Yes	Yes		
Bentonite	1302-78-9	No	Yes	Yes		
Carbon Black	1333-86-4	Yes	Yes	Yes		
Calcium oxide	1305-78-8	Yes	Yes	Yes		

Canada

Labor

Canada - WHMIS - Classifications of Substances

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	E
• Carbon Black	1333-86-4	< 1.5%	D2A (In certain cases, this classification does not apply. For more information, consult the section Substance Specific Issues - Carbon Black, non-respirable on Health Canada's WHMIS Division website.)
• Limestone	1317-65-3	30% TO 60%	D2A
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	B2
• Bentonite	1302-78-9	< 1.5%	D2A

Canada - WHMIS - Ingredient Disclosure List

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	1 %
• Carbon Black	1333-86-4	< 1.5%	1 %
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed

• Bentonite	1302-78-9	< 1.5%	Not Listed
-------------	-----------	--------	------------

Environment

Canada - CEPA - Priority Substances List

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

Denmark

Environment

Denmark - List of Undesirable Substances - Product Groups/Function

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

Europe

Other

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Classification

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Carc.Cat.2; R45
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed

• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Carc.Cat.2; R45 Muta.Cat.2; R46 Xn; R65
• Bentonite	1302-78-9	< 1.5%	Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Concentration Limits

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Labelling

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	T R:45 S:53-45
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	T R:45-46-65 S:53-45
• Bentonite	1302-78-9	< 1.5%	Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Notes - Substances and Preparations

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	L
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	P
• Bentonite	1302-78-9	< 1.5%	Not Listed

EU - CLP (1272/2008) - Annex VI - Table 3.2 - Safety Phrases

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	S:53-45
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	S:53-45
• Bentonite	1302-78-9	< 1.5%	Not Listed

Mexico

Other Mexico - Hazard Classifications

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Hazard Class = 8 PG = III UN1910
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

Mexico - Regulated Substances

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	UN1910
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

United States

Labor U.S. - OSHA - Process Safety Management - Highly Hazardous Chemicals

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

U.S. - OSHA - Specifically Regulated Chemicals

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

Environment

U.S. - CAA (Clean Air Act) - 1990 Hazardous Air Pollutants

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

U.S. - CERCLA/SARA - Hazardous Substances and their Reportable Quantities

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

U.S. - CERCLA/SARA - Radionuclides and Their Reportable Quantities

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances EPCRA RQs

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

U.S. - CERCLA/SARA - Section 302 Extremely Hazardous Substances TPQs

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
--	------------	------	------------

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

U.S. - CERCLA/SARA - Section 313 - Emission Reporting

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

U.S. - CERCLA/SARA - Section 313 - PBT Chemical Listing

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

United States - California

Environment

U.S. - California - Proposition 65 - Carcinogens List

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	carcinogen, initial date 2/21/03 (airborne, unbound particles of respirable size)
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

U.S. - California - Proposition 65 - Developmental Toxicity

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

U.S. - California - Proposition 65 - Maximum Allowable Dose Levels (MADL)

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

U.S. - California - Proposition 65 - No Significant Risk Levels (NSRL)

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed

• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Female

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

U.S. - California - Proposition 65 - Reproductive Toxicity - Male

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

United States - Pennsylvania

Labor

U.S. - Pennsylvania - RTK (Right to Know) - Environmental Hazard List

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

U.S. - Pennsylvania - RTK (Right to Know) - Special Hazardous Substances

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Not Listed
• Carbon Black	1333-86-4	< 1.5%	Not Listed
• Limestone	1317-65-3	30% TO 60%	Not Listed
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

United States - Rhode Island

Labor

U.S. - Rhode Island - Hazardous Substance List

• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined)	64742-52-5	< 5%	Not Listed
• Hydrotreated heavy naphthenic distillates (petroleum) (Highly Refined) as Oil mist, mineral, sum total of 15 polynuclear aromatic hydrocarbons (PAHs)		< 5%	Not Listed
• Calcium oxide	1305-78-8	< 1%	Toxic; Flammable
• Carbon Black	1333-86-4	< 1.5%	Toxic
• Limestone	1317-65-3	30% TO 60%	Toxic
• Light aliphatic solvent naphtha	64742-89-8	10% TO 30%	Not Listed
• Bentonite	1302-78-9	< 1.5%	Not Listed

15.2 Chemical Safety Assessment

- No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

Section 16 - Other Information

- Last Revision Date**
- 15/April/2013
- Preparation Date**
- 18/April/2012
- Disclaimer/Statement of Liability**
- The information contained herein is based on data considered accurate which has been obtained from other companies and organizations. However, no warranty or representation is expressed or implied that the information, is accurate, complete or representative. Firestone Building Products Company, LLC assumes no responsibility for injury to the buyer, the buyer's employees, or any third persons, if reasonable safety procedures are not followed. Additionally, Firestone Building Products Company assumes no responsibility for injury to buyer, the buyer's employees, or any third persons caused by abnormal use of this material, even if reasonable safety procedures are followed.

Key to abbreviations

NDA = No Data Available